Experimental & Applied Acarology, 11 (1991) 327–329
Elsevier Science Publishers B.V., Amsterdam

Author Index

Aarhus, A., *see* Fries, I. et al.
Abdel-Rahman, H.A., *see* Rasmy, A.H. et al.
Al-Amidi, A.H.K., Dunne, R. and Downes, M.J.
Parasitus bituberosus (Acari: Parasitidae): an agent for control of *Lycoriella solani* (Diptera: Sciaridae) in mushroom crops 159
Allan, S.A., Phillips, J.S. and Sonenshine, D.E.
Role of genital sex pheromones in *Amblyomma americanum* and *A. maculatum* (Acari: Ixodidae) 9
Armitage, D.M., *see* Parkinson, C.L. et al.
Barker, S.M., *see* Parkinson, C.L. et al.
Barron, C.A., *see* Parkinson, C.L. et al.
Beattie, G.A.C., Roberts, E.A., Vanhoff, C.L. and Flack, L.K.
Effects of climate, natural enemies and biocides on three citrus mites in coastal New South Wales 271
Beelitz, P., *see* Gothe, R. et al.
Clarke, F.C., *see* Rechav, Y. et al. (51)
Colloff, M.J.
A review of biology and allergenicity of the house-dust mite *Euroglyphus maynei* (Acari: Pyroglyphidae) 177
Cross, R., *see* Fivaz, B.H. et al. (223)
Dauth, J., *see* Rachev, Y. et al. (51)
Davey, R.B., *see* Hilburn, L.R. et al.
Downes, M.J., *see* Al-Amidi, A.H.K. et al.
Duncan, I.M., *see* Norval, R.A.I. et al.
Dunne, R., *see* Al-Amidi, A.H.K. et al.
Dusbábek, F., Šimek, P., Jegorov, A. and Tříska, J.
Identification of xanthine and hypoxanthine as components of assembly pheromone in excreta of argasid ticks 307
English-Loeb, G.M. and Karban, R.
Consequences of mite feeding injury to beans on the fecundity and survivorship of the two-spotted spider mite (Acari: Tetranychidae) 125
Fivaz, B.H., Rencken, I., Cross, R., Terry, S. and Hendry, D.
Specificity and effects of host resistance on the African tick *Rhipicephalus zambeziensis* (Acarina: Ixodidae) 223
Fivaz, B.H., Tucker, S. and Petney, T.
Cross-resistance between instars of the brown ear-tick *Rhipicephalus appendiculatus* (Acarina: Ixodidae) 323
Flack, L.K., *see* Beattie, G.A.C. et al.
Fourie, L.J., Kok, O.B. and van Zyl, J.M.
Spatial distribution of the Karoo paralysis tick *Ixodes rubicundus* (Acari: Ixodidae) within a false upper Karoo veld type 37
Fries, I., Aarhus, A., Hansen, H. and Korpela, S.
Development of early infestations by the mite *Varroa jacobsoni* in honey-bee (*Apis mellifera*) colonies in cold climates 205

George, J.E., *see* Hilburn, L.R. et al.
Gichuhi, P.M., *see* Waladde, S.M. et al.
Gilot, B., *see* Martinod, S. and Gilot, B.
Gothe, R., Beelitz, P. and Schöl, H.
Morphology and structural organization of Haller's organ during postembryonic development of *Argas* (*Persicargas*) *walkerae* (Ixodoidea: Argasidae) 99
Hansen, H., *see* Fries, I. et al.
Heller-Haupt, A., *see* Rechav, Y. et al. (317)
Hendry, D., *see* Fivaz, B.H. et al. (223)
Hilburn, L.R., Davey, R.B., George, J.E. and Pound, J.M.
Non-random mating between *Boophilus microplus* and hybrids of *B. microplus* females and *B. annulatus* males, and its possible effect on sterile male hybrid control releases 23
Hill, R.L. and O'Donnell, D.J.
Reproductive isolation between *Tetranychus lintearius* and two related mites, *T. urticae* and *T. turkestani* (Acarina: Tetranychidae) 241
Hill, R.L. and O'Donnell, D.J.
The host range of *Tetranychus lintearius* (Acarina: Tetranychidae) 253
Hussein, H.E., *see* Rasmy, A.H. et al.
Jegorov, A., *see* Dusbábek, F. et al.
Karban, R., *see* English-Loeb, G.M. and Karban, R.
Kok, O.B., *see* Fourie, L.J. et al.
Korpela, S., *see* Fries, I. et al.
Koveos, D.S. and Tzanakakis, M.E.
Effect of hydration, photoperiod and temperature on diapause termination in eggs of *Petrobia* (*Tetranychina*) *harti* (Acari: Tetranychidae) 111
Kumari, M. and Sadana, G.L.
Influence of temperature and relative humidity on the development of *Amblyseius alstoniae* (Acari: Phytoseiidae) 199
Martinod, S. and Gilot, B.
Epidemiology of canine babesiosis in relation to the activity of *Dermacentor reticulatus* in southern Jura (France) 215
Mnquandi, S., *see* Rechav, Y. et al. (317)
Mwase, E.T., *see* Rechav, Y. et al. (317)
Norval, R.A.I., Yunker, C.E., Duncan, I.M. and Peter, T.
Pheromone/acaricide mixtures in the control of the tick *Amblyomma hebraeum*: effects of acaricides on attraction and attachment 233
O'Donnell, D.J., *see* Hill, R.J. and O'Donnell, D.J. (241,253)
Ochieng', S.A., *see* Waladde, S.M. et al.
Overmeer, W.P.J., *see* van der Geest, L.P.S. et al.
Parkinson, C.L., Barron, C.A., Barker, S.M., Thomas, A.C. and Armitage, D.M.
Longevity and fecundity of *Acarus siro* on four field and eight storage fungi 1
Peter, T., *see* Norval, R.A.I. et al.
Petney, T., *see* Fivaz, B.H. et al. (323)
Phillips, J.S., *see* Allan, S.A. et al.
Pound, J.M., *see* Hilburn, L.R. et al.
Rasmy, A.H., Abdel-Rahman, H.A. and Hussein, H.E.
Suitability of different mite prey for the development of the predatory mite, *Phytoseiulus persimilis* 89
Rechav, Y., Clarke, F.C. and Dauth, J.
Acquisition of immunity in cattle against the blue tick, *Boophilus decoloratus* 51

Rechav, Y., Mnqandi, S., Mwase, E.T., Heller-Haupt, A. and Varma, M.G.R.
The role of *Rhipicephalus appendiculatus* and *R. evertsi evertsi* males in inducing resistance in laboratory animals: preliminary studies 317
Řeháček, J., *see* Šutáková, G. and Řeháček, J.
Rencken, I., *see* Fivaz, B.H. et al.(223)
Riedl, H. and Shearer, P.W.
Double-leaf-disk residue assay for assessing the toxicity of repellent acaricides to spider mites (Acari: Tetranychidae) 149
Roberts, E.A., *see* Beattie, G.A.C. et al.
Sadana, G.L., *see* Kumari, M. and Sadana, G.L.
Santos, M.A.
Searching behavior and associational response of *Zetzellia mali* (Acarina: Stigmaeidae) 81
Schöl, H., *see* Gothe, R. et al.
Shearer, P.W., *see* Riedl, H. and Shearer, P.W.
Šimek, P., *see* Dusbábek, F. et al.
Sonenshine, D.E., *see* Allan, S.A. et al.
Šutáková, G. and Řeháček, J.
Endocytobionts in *Dermacentor reticulatus* ticks (Ixodidae): An electron microscope study 57
Terry, S., *see* Fivaz, B.H. et al. (223)
Thomas, A.C., *see* Parkinson, C.L. et al.
Thwaite, W.G.
Resistance to clofentezine and hexythiazox in *Panonychus ulmi* from apples in Australia 73
Tříska, J., *see* Dusbábek, F. et al.
Tucker, S., *see* Fivaz, B.H. et al. (323)
Tzanakakis, M.E., *see* Koveos, D.S., and Tzanakakis, M.E.
Vanhoff, C.L., *see* Beattie, G.A.C. et al.
Van der Geest, L.P.S., Overmeer, W.P.J. and van Zon, A.Q.
Cold-hardiness in the predatory mite *Amblyseius potentillae* (Acari: Phytoseiidae) 167
Van Zon, A.Q., *see* van der Geest, L.P.S. et al.
Van Zyl, J.M., *see* Fourie, L.J. et al.
Varma, M.G.R., *see* Rechav, Y. et al. (317)
Waladde, S.M., Ochieng', S.A. and Gichuhi, P.M.
Arrtificial-membrane feeding of the ixodid tick, *Rhipicephalus appendiculatus*, to repletion 297
Yunker, C.E., *see* Norval, R.A.I. et al.
Zhang, Z.-Q.
Parasitism of *Acyrthosiphon pisum* by *Allothrombium pulvinum* (Acariformes: Trombidiidae): Host attachment site, host size selection, superparasitism and effect on host 137

Experimental & Applied Acarology, 11 (1991) 331–334
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Acarus
Longevity and fecundity of *Acarus siro* on fungi 1
Aculus
Searching behavior and associational response of *Zetzellia mali* 81
Acyrthosiphon
Parasitism of *Acyrthosiphon pisum* by *Allothrombium pulvinum* 137
Allothrombium
Parasitism of *Acyrthosiphon pisum* by *Allothrombium pulvinum* 137
Amblyomma
Role of genital sex pheromones in *Amblyomma americanum* and *A. maculatum* 9
Pheromone/acaricide mixtures in the control of *Amblyomma hebraeum* 233
Amblyseius
Gold-hardiness in the predatory mite *Amblyseius potentillae* 167
Influence of temperature and relative humidity on the development of *Amblyseius alstoniae* 199
Analytical techniques
Double-leaf-disk residue assay for assessing toxicity of acaricides 149
Xanthine and hypoxanthine as components of assembly pheromone in excreta of argasid ticks 307
Anatomy, *see* Structure and function
Apis
Infestations by the mite *Varroa jacobsoni* in *Apis mellifera* colonies 205
Apple
Resistance to clofentezine and hexythiazox in *Panonychus ulmi* 73
Searching behavior and associational response of *Zetzellia mali* 81
Argas
Morphology and structural organization of Haller's organ of *Argas (Persicargas) walkerae* 99
Xanthine and hypoxanthine as components of assembly pheromone in excreta of argasid ticks 307
Bees, *see Apis*
Bioassay, *see* Analytical techniques
Biological control, *see* Pest management B
Biology, *see* Structure and function
Boophilus
Non-random mating between *Boophilus microplus* and hybrids of *B. microplus* and *B. annulatus* 23
Acquisition of immunity in cattle against *Boophilus decoloratus* 51
Brown ear-tick, *see Rhipicephalus*
Dermacentor
Role of genital sex pheromones in *Amblyomma americanum* and *A. maculatum* 9
Endocytobionts in *Dermacentor reticulatus* ticks 57
Canine babesiosis in relation to the activity of *Dermacentor reticulatus* 215

Dermatophagoides
A review of biology and allergenicity of *Euroglyphus maynei* 177
Disease transmission, *see* Epidemiology
Disease vectors
Spatial distribution of the Karoo paralysis tick *Ixodes rubicundus* 37
Canine babesiosis in relation to the activity of *Dermacentor reticulatus* 215
Dispersal
Spatial distribution of the Karoo paralysis tick *Ixodes rubicundus* 37
Egg production
Longevity and fecundity of *Acarus siro* on fungi 1
Environmental conditions, influence of
Effect of hydration, photoperiod and temperature on diapause in *Petrobia* 111
Cold-hardiness in the predatory mite *Amblyseius potentillae* 167
Influence of temperature and relative humidity on the development of *Amblyseius alstoniae* 199
Infestations of *Varrao jacobsoni* in *Apis mellifera* colonies 205
Epidemiology
Canine babesiosis in relation to the activity of *Dermacentor reticulatus* 215
Euroglyphus
A review of biology and allergenicity of *Euroglyphus maynei* 177
Feeding
Longevity and fecundity of *Acarus siro* on fungi 1
Suitability of different mite prey for the development of *Phytoseiulus* 89
Artificial-membrane feeding of *Rhipicephalus appendiculatus* to repletion 297
Genetic manipulation
Non-random mating between *Boophilus microplus* and hybrids of *B. microplus* and *B. annulatus* 23
House-dust mite, *see Dermatophagoides* and *Euroglyphus*
Immunity, host
Acquisition of immunity in cattle against *Boophilus decoloratus* 51
The role of *Rhipicephalus* males in inducing resistance in laboratory animals 317
Ixodes
Spatial distribution of the Karoo paralysis tick *Ixodes rubicundus* 37
Laboratory culture
Longevity and fecundity of *Acarus siro* on fungi 1
Suitability of different mite prey for the development of *Phytoseiulus* 89
Influence of temperature and relative humidity on the development of *Amblyseius alstoniae* 199
Artificial-membrane feeding of *Rhipicephalus appendiculatus* to repletion 297
Life-history studies
A review of biology and allergenicity of *Euroglyphus maynei* 177
Lycoriella
Parasitus bituberosus: an agent for control of *Lycoriella solani* 159
Morphology, *see* Structure and function
Mushroom, pests of, *see* Pest management B
Oranges
Effects of climate, natural enemies and biocides on three citrus mites 271
Ornithodoros
Xanthine and hypoxanthine as components of assembly pheromone in excreta of argasid ticks 307

Panonychus
Resistance to clofentezine and hexythiazox in *Panonychus ulmi* 73
Searching behavior and associational response of *Zetzellia mali* 81
Double-leaf-disk residue assay for assessing the toxicity of acaricides 149
Effects of climate, natural enemies and biocides on three citrus mites 271
Parasitus
Parasitus bituberosus: an agent for control of *Lycoriella solani* 159
Pest management A: Control of acarine pests
Resistance to clofentezine and hexythiazox in *Panonychus ulmi* 73
Consequences of mite feeding injury to beans on the spider mite 125
Double-leaf-disk residue assay for assessing the toxicity of acaricides 149
Pheromone/acaricide mixtures in the control of *Amblyomma hebraeum* 233
Pest Management B: Acarines as pest control agents
Searching behavior and associational response of *Zetzellia mali* 81
Suitability of different mite prey for the development of *Phytoseiulus* 89
Parasitism of *Acyrthosiphon pisum* by *Allothrombium pulvinum* 137
Parasitus bituberosus: an agent for control of *Lycoriella solani* 159
Influence of temperature and relative humidity on the development of *Amblyseius alstoniae* 199
Infestations by *Varroa jacobsoni* in *Apis mellifera* colonies 205
Reproductive isolation between *Tetranychus lintearius* and two related mites 241
The host range of *Tetranychus lintearius* 253
Pesticides, *see* Pest management A
Petrobia
Effect of hydration, photoperiod and temperature on diapause in *Petrobia* 111
Phaseolus
The host range of *Tetranychus lintearius* 253
Phyllocoptruta
Effects of climate, natural enemies and biocides on three citrus mites 271
Phytoseiulus
Suitability of different mite prey for the development of *Phytoseiulus* 89
Population dynamics
Non-random mating between *Boophilus microplus* and hybrids of *B. microplus* and *B. annulatus* 23
Consequences of mite feeding injury to beans on the spider mite 125
Reproductive isolation between *Tetranychus lintearius* and two related mites 241
Effects of climate, natural enemies and biocides on three citrus mites 271
Prey selection
Searching behavior and associational response of *Zetzellia mali* 81
Reproduction, *see* Population dynamics
Resistance, host
Specificity and effects of host resistance on *Rhipicephalus zambeziensis* 223
The role of *Rhipicephalus* males in inducing resistance in laboratory animals 317
Cross-resistance between instars of *Rhipicephalus appendiculatus* 323
Rhipicephalus
Specificity and effects of host resistance on *Rhipicephalus zambeziensis* 223
Artificial-membrane feeding of *Rhipicephalus appendiculatus* to repletion 297
The role of *Rhipicephalus* males in inducing resistance in laboratory animals 317
Cross-resistance between instars of *Rhipicephalus appendiculatus* 323
Rickettsia-like microorganisms
Endocytobionts in *Dermacentor reticulatus* ticks 57

Seasonal dynamics
Infestations by *Varroa jacobsoni* in *Apis mellifera* colonies 205
Effects of climate, natural enemies and biocides on three citrus mites 271
Stored-products, *see Acarus*
Structure and function
Role of genital sex pheromones in *Amblyomma americanum* and *A. maculatum* 9
Endocytobionts in *Dermacentor reticulatus* ticks 57
Morphology and structural organization of Haller's organ of *Argas (Persicargas) walkerae* 99
Effect of hydration, photoperiod and temperature on diapause in *Petrobia* 111
Cold-hardiness in the predatory mite *Amblyseius potentillae* 167
A review of biology and allergenicity of *Euroglyphus maynei* 177
Xanthine and hypoxanthine as components of assembly pheromone in excreta of argasid ticks 307
Tegolophus
Effects of climate, natural enemies and biocides on three citrus mites 271
Tetranychus
Searching behavior and associational response of *Zetzellia mali* 81
Consequences of mite feeding injury to beans on the spider mite 125
Reproductive isolation between *Tetranychus lintearius* and two related mites 241
The host range of *Tetranychus lintearius* 253
Two-spotted spider mite, *see Tetranychus*
Varroa
Infestations by *Varroa jacobsoni* in *Apis mellifera* colonies 205
Zetzellia
Searching behavior and associational response of *Zetzellia mali* 81